

RealEMWIN

Software installation
updated Sept. 2007



Before You Start...

You should request your IT organization to:

- i. perform this software installation – it requires administrator rights on the computer
- ii. open port 1000 for your use – allows access to the Adams County internet feeds (63.253.71.94, 63.253.71.95)
- iii. open port 21(ftp) - allows access to National Weather Service archive weather information you will need periodically




Initial Setup for Radio Reception

- 1) Open CD to see contents.
- 2) Select “RealEMWIN Software” folder




3) Double click RE175.exe, and follow installation instructions....

(Select “Next” or “Yes” to step through the default installation.)




4) When asked to restart the computer, select: “No, I will restart later”


5) Open your web browser to <http://emwin.udfcd.org>, Click on “Download RealEMWIN Configuration Files”



■ 6) Select “Open”




7) Select 'Extract all Files'




8) Extract them to the following folder:

“C:\ Program Files\Skywatch Services\RealEMWIN”



9) When asked if you would like to replace existing files, select “Yes to All”




10) Remove CD from drive, and restart computer.




11) When computer is ready, Start RealEMWIN.

12) Select “Yes” when asked to
“create default directory structure”



13) When completed, select “File” then “Configure”



NOTE: for internet only install, go to step #22



14) Set / Verify the following values in the configuration window:

a) Standalone operational mode

b) Comm Port 1 and Baud 9600 (verify Comm Port with IT if unsure)

c) Enter “DEN” and “BOU” in the first Local WFO box, and clear the remaining boxes.

d) Check the I-Net and METAR boxes, and type in “KDEN”

e) Click on “SAVE”.

Configuration

Operational Mode

Standalone Network Internet Feed

US N. America Pacific

Audio

Unlimited Restrict Once

Compress Bulletins Expand Headers

E-Mail

Server enter.smtp.here.com

Personal from@where

Idle Alert

E-Mail Internet RCM Unzip

I-Net Bulletin Descriptions

3 Delay

METAR Reverse

KDEN

Save Exit

Comm Port 1 Baud 9600

Text c:\Weather\EMWIN\Data\

Images c:\Weather\EMWIN\images\

Hourly c:\Weather\EMWIN\HourlyWX\

Data-In C:\PROGRA~1\SKYWAT~1\REALEM~1\t

Custom c:\Weather\EMWIN\Archive\

WXPLOT

Local WFO's

DEN BOU

Purge Time: 12

Prods: 3




15) Select "OK" when the following dialog box appears:



16) Restart RealEMWIN. File names should begin appearing on the left side.


File names appear and fill down



To enable internet backup...

17) Open “C:\ Program Files\Skywatch Services\RealEMWIN”
And open ‘Engine.exe’.


(This is the internet ingest program for RealEMWIN.)



18) The internet engine will appear:



19) Click on “Options” then “enter fixed URL” and type “63.253.71.94” or “63.253.71.95” in the box.



Click “OK”

Select “Options” then “use fixed URL”.

It will be checked.

20) Click “Disconnect”. The computer will then reconnect and show activity. The system is now receiving content from the Adams County EMWIN Server.

Shows CONNECTED



21) Close the internet ingest program.

When the radio data is lost, RealEMWIN will automatically switch to the internet connection at Adams County.

THIS ENDS THE RADIO SYSTEM software installation...



For those outside of radio
coverage...

you can use the internet to access
EMWIN Denver Data



22) Set / Verify the following values in the configuration window:

- Internet Feed mode
- Enter “DEN” and “BOU” in the first Local WFO boxes, and clear the remaining box.
- Check the I-Net and METAR boxes, and type in “KDEN”
- Click on “SAVE”.
- Restart RealEMWIN.


The screenshot shows the 'Configuration' window with the following settings:

- Operational Mode:** Standalone, Network, Internet Feed (circled in red).
- Comm Port:** 1, **Baud:** 9600
- Text:** c:\Weather\EMWIN\Data\
- Images:** c:\Weather\EMWIN\Images\
- Hourly:** c:\Weather\EMWIN\Hourly\WX\
- Data-In:** C:\PROGRA~1\SKYWAT~1\REALEM~1\
- Custom:** c:\Weather\EMWIN\Archive\
- WXPLOT:** (empty)
- Local WFO's:** DEN, BOU, (empty) (boxed in red)
- Purge Time:** 12, **# Prods:** 3
- Audio:** Unlimited, Restrict, Once
- US, N. America, Pacific:** All checked
- E-Mail:** Compress Bulletins, Expand Headers
- Server:** enter.smtp.here.com
- Personal:** from@where
- Idle Alert:** E-Mail, Pager, I-Net (boxed in red), Delay: 3
- Internet:** Internet, RCM Unzip
- Bulletin Descriptions:** Bulletin Descriptions
- METAR:** METAR, Reverse, **KDEN** (boxed in red)
- Buttons:** Save, Exit

23) The internet engine will appear:



24) Click on “Options” then “enter fixed URL” and type “63.253.71.94” or “63.253.71.95” in the box.



Click “OK”

Select “Options” then “use fixed URL”.

It will be checked.

25) Click “Disconnect”. The computer will then reconnect and show activity. The system is now receiving content from the Adams County EMWIN Server.

Shows CONNECTED



**You have successfully
installed your equipment
and
configured RealEMWIN software
for use in the Front Range.**

Enjoy!

